Spumaretroviruses: Updated taxonomy and nomenclature

Arifa S Khan, Jochen Bodem, Florence Buseyne, Antoine Gessain, Welkin Johnson, Jens Kuhn, Jacek Kuzmak, Dirk M Lindemann, Maxine L Linial, Martin P Löchelt, et al.

► To cite this version:

Arifa S Khan, Jochen Bodem, Florence Buseyne, Antoine Gessain, Welkin Johnson, et al.. Spumaretroviruses: Updated taxonomy and nomenclature. Virology, 2018, 516, pp.158 - 164. 10.1016/j.virol.2017.12.035 . pasteur-01716198

HAL Id: pasteur-01716198

<https://hal-pasteur.archives-ouvertes.fr/pasteur-01716198>

Submitted on 23 Feb 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Distributed under a Creative Commons Attribution - NonCommercial| 4.0 International License

Spumaretroviruses: Updated taxonomy and nomenclature

Arifa S. Khan^{a*}, Jochen Bodem^b, Florence Buseyne^{c,d}, Antoine Gessain^{c,d}, Welkin Johnson^e, Jens H. Kuhn^f, Jacek Kuzmak^g, Dirk Lindemann^h, Maxine L. Linialⁱ, Martin Löchelt^j, Magdalena Materniak-Kornas^g, Marcelo A. Soares^k, and William M. Switzer^l

^a *Laboratory of Retroviruses, US Food and Drug Administration, Silver Spring, MD 20993, USA*

^b *Institut für Virologie und Immunbiologie, Universität Würzburg, Würzburg, Germany*

^c *Unit of Epidemiology and Physiopathology of Oncogenic Viruses, Institut Pasteur, Paris, France*

^d *Centre National de la Recherche Scientifique, CNRS UMR3569, Paris, France*

^e *Biology Department, Boston College, Chestnut Hill, MA 02467, USA*

^f *Integrated Research Facility at Fort Detrick, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Frederick, MD 21702, USA*

^g *Department of Biochemistry, National Veterinary Research Institute, Puławy, Poland*

^h *Institute of Virology, Technische Universität Dresden, Dresden, Germany*

ⁱ *Division of Basic Sciences, Fred Hutchinson Cancer Research Center, Seattle, WA 98109, USA*

^j *Research Program Infection, Inflammation and Cancer, German Cancer Research Center (DFKZ), Heidelberg, Germany*

^k *Instituto Nacional de Câncer and Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil*

^l *Laboratory Branch, Division of HIV/AIDS Prevention, Centers for Disease Control and*

Prevention, Atlanta, GA 30329, USA

* Corresponding author at: Laboratory of Retroviruses, Division of Viral Products, Center for
Biologics Research and Review, U.S. Food and Drug Administration, 10903 New Hampshire
Ave., Bldg. 52-72, Rm, 1216, Silver Spring, MD 20993, USA

E-mail address: arifa.khan@fda.hhs.gov (A.S. Khan)

Keywords: foamy virus, ICTV, International Committee on Taxonomy of Viruses, retrovirus,
Spumaretrovirinae, spumaretrovirus, spumavirus, virus classification, virus nomenclature, virus
taxonomy, zoonosis.

ABSTRACT

Spumaretroviruses, commonly referred to as foamy viruses, are complex retroviruses belonging to the subfamily *Spumaretrovirinae*, family *Retroviridae*, which naturally infect a variety of animals including nonhuman primates (NHPs). Additionally, cross-species transmissions of simian foamy viruses (SFVs) to humans have occurred following exposure to tissues of infected NHPs. Recent research has led to the identification of previously unknown exogenous foamy viruses, and to the discovery of endogenous spumaretrovirus sequences in a variety of host genomes. Here, we describe an updated spumaretrovirus taxonomy that has been recently accepted by the International Committee on Taxonomy of Viruses (ICTV) Executive Committee, and describe a virus nomenclature that is generally consistent with that used for other retroviruses, such as lentiviruses and deltaretroviruses. This taxonomy can be applied to distinguish different, but closely related, primate (e.g., human, ape, simian) foamy viruses as well as those from other hosts. This proposal accounts for host-virus co-speciation and cross-species transmission.

1. Introduction

Spumaretroviruses belong to the subfamily *Spumaretrovirinae* in the family *Retroviridae*. They are highly prevalent in animals of diverse non-primate mammalian families [Bovidae (cloven-hooved ruminants), Felidae (cats), Equidae (horses and relatives), and Rhinolophidae (horseshoe bats)], as well as nonhuman primates (NHPs), including apes, Old World monkeys (OWM), New World monkeys (NWM), and prosimians ([1](#), [2](#)). Members of the subfamily *Spumaretrovirinae*, commonly referred to as foamy viruses, have a broad tissue and cell tropism and virus infection is generally latent, except in some tissues of the oral cavity ([3](#), [4](#)).

The earliest reports of foamy virus isolates were of simian origin (NWM, OWM, and apes) and were originally classified serologically using neutralization assays ([5](#), [6](#)). The first “human” spumaretrovirus isolate was obtained from cultures of a human nasopharyngeal carcinoma in 1971 and was originally designated “human foamy virus (HFV)” ([7](#), [8](#)), but was later found to be of chimpanzee origin based upon sequence identity to chimpanzee foamy virus and renamed as prototype foamy virus (PFV) ([6](#), [9](#)). Cross-species transmissions of simian foamy viruses (SFVs) to humans have occurred by exposure to fluids or tissues from infected NHPs ([10-23](#)). Although foamy viruses are exogenously transmitted viruses, endogenous foamy virus sequences have been identified and characterized in genomes of many species, including aye-aye (*Daubentonia madagascariensis*), sloth (*Choloepus hoffmanni*), Cape golden mole (*Chrysochloris asiatica*), coelacanth (*Latimeria chalumnae*), platyfish (*Xiphophorus maculatus*), and zebrafish (*Danio rerio*) ([24-30](#)). In fact, molecular evolution studies have indicated that spumaretroviruses have co-speciated with their hosts for millions of years ([24](#), [26](#), [31](#), [32](#)). Recently, phylogenetic analyses using amphibian and fish genomes have estimated the date of retrovirus emergence at >450 million years ago ([25](#)) with foamy viruses inferred to be the most ancient retrovirus. A

recent increase in the number of foamy virus isolates and sequences using a variety of novel molecular and genomic techniques highlights the need for updating and expanding spumaretrovirus taxonomy ([15](#), [31](#), [33-48](#)).

The taxonomic history of *Spumaretrovirinae* has been based only on the few early virus isolates. Although “foamy virus” was discovered in rhesus monkey kidney cultures in 1955 ([49](#)), simian foamy retroviruses, were not formally classified until the Second Report (1976) of the International Committee on Taxonomy of Viruses [ICTV], which assigned bovine syncytial virus (BSV), feline syncytial virus (FSV), hamster syncytial virus (HSV), human foamy virus (HFV), and simian foamy virus (SFV) to the “genus-less” subfamily *Spumavirinae* ([50](#)). In the Third (1979) ICTV Report, the still genus-less subfamily *Spumavirinae* contained only four viruses (BSV, FSV, HFV, and SFV) ([51](#)). By the Fifth (1991) ICTV Report, all three subfamilies (*Oncovirinae*, *Lentivirinae*, and *Spumavirinae*) of the *Retroviridae* were abandoned and seven genera created, including *Spumavirus*, which contained BSV, FSV, HFV, and SFV ([52](#)), with HFV designated as the type species. This taxonomy was upheld in the Sixth (1995) ICTV Report, but HFV was referred to as human spumavirus ([53](#)). The Seventh (2000) ICTV Report for the first time differentiated between species and viruses. *Chimpanzee foamy virus* was designated the type species and chimpanzee foamy virus (formerly human spumavirus) was assigned to it (according to ICTV rule, virus name is not italicized). The other species were *Bovine foamy virus* (containing bovine foamy virus; formerly bovine syncytial virus), *Feline foamy virus* (containing feline foamy virus, formerly feline syncytial virus), *Simian foamy virus 1* (containing simian foamy virus type 1), and *Simian foamy virus 3* (containing simian foamy virus type 3) ([54](#)). In the Eighth (2005) ICTV Report, based upon the distinct replication pathway of foamy viruses, which contains features homologous to both retroviruses and

hepadnaviruses (55), the subfamily *Spumaretrovirinae* was reinstated for the genus *Spumavirus*. The species *Simian foamy virus 1* was renamed *Macaque simian foamy virus* and the virus assigned to this species, simian foamy virus 1, was renamed macaque simian foamy virus. Similarly, the species *Simian foamy virus 3* was renamed *African green monkey simian foamy virus* and the virus in this species, simian foamy virus 3, was renamed African green monkey simian foamy virus; the species *Chimpanzee foamy virus* was renamed *Simian foamy virus* and the virus in this species, chimpanzee foamy virus was renamed simian foamy virus. In addition, the species *Equine foamy virus* was established for equine foamy virus. No changes were made to *Bovine foamy virus* and *Feline foamy virus* (56). The most recent, Ninth (2011) ICTV Report, lists six spumavirus species for six viruses (57), and this current classification is shown in Table 1.

The current taxonomy for spumaretroviruses is outdated as it does not accommodate new foamy viruses discovered in NHPs of various species, including OWM and NWM (31, 36, 58). Furthermore, formal nomenclature for designating virus isolates is lacking, particularly for simian foamy viruses, which has led to some confusion in virus descriptions and references in publications and retrieval of sequences deposited in public databases. The critical need for updating spumaretrovirus taxonomy and for developing a consensus nomenclature for different foamy viruses was recognized by the scientific community and discussed at the International Foamy Virus Conference held in 2014 in Puławy, Poland (59) and in 2016 in Paris, France (60). Here, we present an updated and expanded spumaretrovirus taxonomy based upon current knowledge that accounts for host-virus co-speciation and cross-species transmission. Furthermore, the proposed virus nomenclature can be applied to all spumaretroviruses, including non-primate and primate viruses.

2. Updated 2017 spumaretrovirus classification

The recent increase in the number of primate and non-primate spumaretroviruses warranted an update of the current ICTV classification as well as establishment of a more consistent nomenclature. This updated taxonomy, which was proposed by the authors to the Executive Committee of the ICTV on June 18, 2017, is shown in Table 2. The following changes were proposed based on analyses of sequences of spumaretrovirus genomes available in public databases:

- the existing genus *Spumavirus* was replaced by five genera named *Bovispumavirus*, *Equispumavirus*, *Felispumavirus*, *Prosimiispumavirus*, and *Simiispumavirus* because the spumaretrovirus phylogeny largely reflects the host phylogeny (Fig. 1), supporting the hypothesis of spumaretrovirus-host co-evolution ([18](#), [24](#), [26](#), [31](#), [32](#));
- the established species *Bovine foamy virus*, *Feline foamy virus*, and *Equine foamy virus* were included in the new genera *Bovispumavirus*, *Felispumavirus*, and *Equispumavirus*, respectively. Additionally, the species *Puma feline foamy virus* was included in genus *Felispumavirus*;
- a new species, *Brown greater galago simian foamy virus*, was included in a new genus *Prosimiispumavirus*;
- the previously established species were included in the new genera, and new species were established for previously unclassified spumaretroviruses. Species names were chosen based upon the viral host animal names. The previous species *simian foamy virus* was renamed *Eastern chimpanzee simian foamy virus*. The species *Macaque simian foamy virus* and *African green monkey simian foamy virus* were renamed *Taiwanese macaque*

simian foamy virus and *Grivet simian foamy virus*, respectively, and together with *Eastern chimpanzee simian foamy virus* were included in genus *Simiispumavirus*. Eleven additional NHP spumaretrovirus species were added to this genus. Each proposed species is represented by at least one virus for which a complete genome sequence has been deposited in public databases.

In addition to the viruses included in the updated taxonomy submitted to the ICTV in 2017, there are other foamy virus isolates, that are phylogenetically distinct from the currently included ones and, were not included in the proposal because of the lack of a complete coding genome sequence. These are shown in Table 3 and are envisioned to be included in future taxonomic updates, along with other available sequences at that time. It should be noted that the simian foamy virus *Macaca fascicularis* (SFVmfa) is also included in this table (and in Fig. 1) since it is expected to be submitted in the next update based upon a published full-genome sequence (61). Additionally, based upon recent discussions related to viruses identified by metagenomics, sequences that are distinct phylogenetically from the currently classified viruses and have been completely sequenced in their coding regions may be classified officially by the ICTV even in the absence of a virus isolate (62).

3. Updated 2017 spumaretrovirus nomenclature

Previously, different spumaretroviruses were named by adding three-letter lower-case abbreviations to “SFV” (simian foamy virus) derived from the common names of the hosts from which the viruses were isolated. For instance, SFVmac was used for simian spumaretroviruses infecting macaques and SFVagm was used for simian spumaretroviruses infecting grivets (African green monkeys, agm) (6). However, this general designation of viruses does not

distinguish strains infecting hosts of different species or subspecies. The genus *Macaca* (macaques) includes more than 20 species the members of which are distributed throughout Asia, with one also in Africa, and the genus *Chlorocebus* (African green monkeys) includes six species, the members of which are distributed across sub-Saharan Africa. The most confusing virus name was “simian foamy virus”, which referred to foamy viruses from all NHPs except macaques and African green monkeys.

Here we propose a spumaretrovirus nomenclature similar to that used for simian immunodeficiency virus and simian T-lymphotropic virus isolates. Accordingly, all spumaretrovirus names will contain the words “foamy virus” preceded by an adjectival classifier indicating the host (e.g., bovine, feline, simian) followed by the name of the species, or in some cases subspecies, of the particular host. The virus host name and “foamy virus” are abbreviated in capital letters (e.g., feline foamy virus is abbreviated FFV, simian foamy virus is abbreviated SFV) followed by lower-case three-letter abbreviations for the host species name. These abbreviations are comprised of the first letter of the host genus and the first two letters of the species or subspecies (e.g., simian foamy virus *Macaca cyclopis* is abbreviated SFVmcy) (Tables 2 - 3), or the first letter of the species or subspecies and the next unique letter, when the letters are the same (e.g. simian foamy viruses isolated from New World primates such as *Leontopithecus chrysomelas* and *Leontopithecus chrysopygus* would be abbreviated as SFVlcm and SFVlcp, respectively). In the case of an unknown host species, the first letter of the genus name is followed by “xx” (italics letters). Virus isolate names are designated by using the virus abbreviation followed by an underscore that appends additional, isolate-identifying information such as the host from which it was isolated (for instance, “hu” for human), isolate designation, and other identifying information. For example, simian foamy virus *Pan troglodytes*

schweinfurthii, human isolate HSRV, clone 13 will be designated as SFVpsc_huHRSV.13, and feline foamy virus *Felis catus* strain FUV7 will be designated as FFVfca_FUV7 (Table 4). Similarly, in case of inter-species transmission involving nonhuman primates, SFV from western red colobus monkey (*Philiocolobus badius badius*) isolated from a wild chimpanzee subspecies *Pan troglodyes verus* (63) will be designated as SFVpba_pveLeo. Furthermore, for recombinant viruses (including naturally-occurring and those genetically-engineered), the designation “[RF]” is included at the end (e.g., SFVmcy_FV34[RF] (64)).

4. Conclusions

The updated and expanded spumaretrovirus taxonomy presented here was initially submitted to the ICTV on June 18, 2017, and is currently provisionally approved by the ICTV Executive Committee. The proposal now awaits ratification by vote of the International Union of Microbiological Societies (IUMS) Virology Division, which will occur in the first quarter of 2018. The new taxonomy format is easily expandable to accommodate new genera and species for classification of newly discovered foamy viruses. Additionally, we have established a spumaretrovirus nomenclature that considers host-virus co-speciation and cross-species transmission, and incorporates host animal species information and strain and/or animal identification codes in spumaretrovirus names and their abbreviations. This collaborative effort is aimed toward unifying classification and designations of spumaretroviruses to facilitate easy comparisons of reported foamy virus isolates.

Disclaimer

The views and conclusions that are contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the US Department of Health and Human Services, the U.S. Centers for Disease Control and Prevention, or of the institutions and companies affiliated with the authors. The work by J.H.K. was supported through Battelle Memorial Institute's prime contract with the U.S. National Institute of Allergy and Infectious Diseases (NIAID) under contract number HHSN272200700016I.

Acknowledgements

We appreciate the expertise provided by Prof. Dr. Gerrit Kloss for deriving the Latin names of the genera in *Spumaretrovirinae*.

References

1. **Rethwilm A, Lindemann D.** 2013. Foamy viruses, p 1613-1632. *In* Knipe DM, Howley, P. (ed), Field's Virology, 6 ed, vol 2. Lippincott, Williams & Wilkins, Philadelphia, PA.
2. **Rethwilm A, Bodem J.** 2013. Evolution of foamy viruses: the most ancient of all retroviruses. *Viruses* **5**:2349-2374.
3. **Falcone V, Leupold J, Clotten J, Urbanyi E, Herchenroder O, Spatz W, Volk B, Böhm N, Toniolo A, Neumann-Haefelin D, Schweizer M.** 1999. Sites of simian foamy virus persistence in naturally infected African green monkeys: latent provirus is ubiquitous, whereas viral replication is restricted to the oral mucosa. *Virology* **257**:7-14.
4. **Murray SM, Picker LJ, Axthelm MK, Hudkins K, Alpers CE, Linial ML.** 2008. Replication in a superficial epithelial cell niche explains the lack of pathogenicity of primate foamy virus infections. *J Virol* **82**:5981-5985.
5. **Hooks JJ, Gibbs CJ, Jr.** 1975. The foamy viruses. *Bacteriol Rev* **39**:169-185.
6. **Meiering CD, Linial ML.** 2001. Historical perspective of foamy virus epidemiology and infection. *Clin Microbiol Rev* **14**:165-176.
7. **Achong BG, Mansell PW, Epstein MA.** 1971. A new human virus in cultures from a nasopharyngeal carcinoma. *J Pathol* **103**:P18.
8. **Achong BG, Mansell PW, Epstein MA, Clifford P.** 1971. An unusual virus in cultures from a human nasopharyngeal carcinoma. *J Natl Cancer Inst* **46**:299-307.
9. **Herchenroder O, Renne R, Loncar D, Cobb EK, Murthy KK, Schneider J, Mergia A, Luciw PA.** 1994. Isolation, cloning, and sequencing of simian foamy viruses from chimpanzees (SFVcpz): high homology to human foamy virus (HFV). *Virology* **201**:187-199.

10. **Betsem E, Rua R, Tortevoe P, Froment A, Gessain A.** 2011. Frequent and recent human acquisition of simian foamy viruses through apes' bites in central Africa. *PLoS Pathog* **7**:e1002306.
11. **Calattini S, Betsem EBA, Froment A, Maucière P, Tortevoe P, Schmitt C, Njouom R, Saib A, Gessain A.** 2007. Simian foamy virus transmission from apes to humans, rural Cameroon. *Emerg Infect Dis* **13**:1314-1320.
12. **Engel GA, Small CT, Soliven K, Feeroz MM, Wang X, Kamrul Hasan M, Oh G, Rabiul Alam SM, Craig KL, Jackson DL, Matsen Iv FA, Linial ML, Jones-Engel L.** 2013. Zoonotic simian foamy virus in Bangladesh reflects diverse patterns of transmission and co-infection. *Emerg Microbes Infect* **2**:e58.
13. **Heneine W, Schweizer M, Sandstrom P, Folks T.** 2003. Human infection with foamy viruses. *Curr Top Microbiol Immunol* **277**:181-196.
14. **Heneine W, Switzer WM, Sandstrom P, Brown J, Vedapuri S, Schable CA, Khan AS, Lerche NW, Schweizer M, Neumann-Haefelin D, Chapman LE, Folks TM.** 1998. Identification of a human population infected with simian foamy viruses. *Nat Med* **4**:403-407.
15. **Mouinga-Ondémé A, Caron M, Nkoghe D, Telfer P, Marx P, Saïb A, Leroy E, Gonzalez J-P, Gessain A, Kazanji M.** 2012. Cross-species transmission of simian foamy virus to humans in rural Gabon, Central Africa. *J Virol* **86**:1255-1260.
16. **Schweizer M, Turek R, Hahn H, Schliephake A, Netzer K-O, Eder G, Reinhardt M, Rethwilm A, Neumann-Haefelin D.** 1995. Markers of foamy virus infections in monkeys, apes, and accidentally infected humans: appropriate testing fails to confirm suspected foamy virus prevalence in humans. *AIDS Res Hum Retroviruses* **11**:161-170.

17. **Stenbak CR, Craig KL, Ivanov SB, Wang X, Soliven KC, Jackson DL, Gutierrez GA, Engel G, Jones-Engel L, Linial ML.** 2014. New World simian foamy virus infections in vivo and in vitro. *J Virol* **88**:982-991.
18. **Switzer WM, Bhullar V, Shanmugam V, Cong M-E, Parekh B, Lerche NW, Yee JL, Ely JJ, Boneva R, Chapman LE, Folks TM, Heneine W.** 2004. Frequent simian foamy virus infection in persons occupationally exposed to nonhuman primates. *J Virol* **78**:2780-2789.
19. **Switzer WM, Tang S, Ahuka-Mundeke S, Shankar A, Hanson DL, Zheng H, Ayoub A, Wolfe ND, LeBreton M, Djoko CF, Tamoufe U, Esteban A, Heneine W, Peeters M, Wright LL, Muyembe-Tamfum JJ, Wemakoy EO, Mulembakani P, Hoff NA, Rimoin AW.** 2012. Novel simian foamy virus infections from multiple monkey species in women from the Democratic Republic of Congo. *Retrovirology* **9**:100.
20. **Wolfe ND, Switzer WM, Carr JK, Bhullar VB, Shanmugam V, Tamoufe U, Prosser AT, Torimiro JN, Wright A, Mpoudi-Ngole E, McCutchan FE, Birx DL, Folks TM, Burke DS, Heneine W.** 2004. Naturally acquired simian retrovirus infections in central African hunters. *Lancet* **363**:932-937.
21. **Khan AS.** 2009. Simian foamy virus infection in humans: prevalence and management. *Expert Rev Anti Infect Ther* **7**:569-580.
22. **Brooks JI, Rud EW, Pilon RG, Smith JM, Switzer WM, Sandstrom PA.** 2002. Cross-species retroviral transmission from macaques to human beings. *Lancet* **360**:387-388.
23. **Callahan ME, Switzer WM, Matthews AL, Roberts BD, Heneine W, Folks TM, Sandstrom PA.** 1999. Persistent zoonotic infection of a human with simian foamy virus in the absence of an intact orf-2 accessory gene. *J Virol* **73**:9619-9624.

24. **Katzourakis A, Aiewsakun P, Jia H, Wolfe ND, LeBreton M, Yoder AD, Switzer WM.** 2014. Discovery of prosimian and afrotherian foamy viruses and potential cross species transmissions amidst stable and ancient mammalian co-evolution. *Retrovirology* **11**:61.
25. **Aiewsakun P, Katzourakis A.** 2017. Marine origin of retroviruses in the early Palaeozoic Era. *Nat Commun* **8**:13954.
26. **Katzourakis A, Gifford RJ, Tristem M, Gilbert MT, Pybus OG.** 2009. Macroevolution of complex retroviruses. *Science* **325**:1512.
27. **Han GZ, Worobey M.** 2012. An endogenous foamy-like viral element in the coelacanth genome. *PLoS Pathog* **8**:e1002790.
28. **Han G-Z, Worobey M.** 2012. An endogenous foamy virus in the aye-aye (*Daubentonia madagascariensis*). *J Virol* **86**:7696-7698.
29. **Han GZ, Worobey M.** 2014. Endogenous viral sequences from the Cape golden mole (*Chrysochloris asiatica*) reveal the presence of foamy viruses in all major placental mammal clades. *PLoS One* **9**:e97931.
30. **Ruboyianes R, Worobey M.** 2016. Foamy-like endogenous retroviruses are extensive and abundant in teleosts. *Virus Evol* **2**:vew032.
31. **Ghera BM, Jia H, Aiewsakun P, Katzourakis A, Mendoza P, Bausch DG, Kasper MR, Montgomery JM, Switzer WM.** 2015. Wide distribution and ancient evolutionary history of simian foamy viruses in New World primates. *Retrovirology* **12**:89.
32. **Switzer WM, Salemi M, Shanmugam V, Gao F, Cong M-E, Kuiken C, Bhullar V, Beer BE, Vallet D, Gautier-Hion A, Toozé Z, Villinger F, Holmes EC, Heneine W.** 2005. Ancient co-speciation of simian foamy viruses and primates. *Nature* **434**:376-380.

33. **Ayoub A, Duval L, Liegeois F, Ng S, Ahuka-Mundike S, Switzer WM, Delaporte E, Ariey F, Peeters M, Nerrienet E.** 2013. Nonhuman primate retroviruses from Cambodia: high simian foamy virus prevalence, identification of divergent STLTV-1 strains and no evidence of SIV infection. *Infect Genet Evol* **18**:325-334.
34. **Liu W, Worobey M, Li Y, Keele BF, Bibollet-Ruche F, Guo Y, Goepfert PA, Santiago ML, Ndjanga J-B, Neel C, Clifford SL, Sanz C, Kamenya S, Wilson ML, Pusey AE, Gross-Camp N, Boesch C, Smith V, Zamma K, Huffman MA, Mitani JC, Watts DP, Peeters M, Shaw GM, Switzer WM, Sharp PM, Hahn BH.** 2008. Molecular ecology and natural history of simian foamy virus infection in wild-living chimpanzees. *PLoS Pathog* **4**:e1000097.
35. **Wu Z, Ren X, Yang L, Hu Y, Yang J, He G, Zhang J, Dong J, Sun L, Du J, Liu L, Xue Y, Wang J, Yang F, Zhang S, Jin Q.** 2012. Virome analysis for identification of novel Mammalian viruses in bat species from Chinese provinces. *J Virol* **86**:10999-11012.
36. **Muniz CP, Troncoso LL, Moreira MA, Soares EA, Pissinatti A, Bonvicino CR, Seuánez HN, Sharma B, Jia H, Shankar A, Switzer WM, Santos AF, Soares MA.** 2013. Identification and characterization of highly divergent simian foamy viruses in a wide range of New World primates from Brazil. *PLoS One* **8**:e67568.
37. **Troncoso LL, Muniz CP, Siqueira JD, Curty G, Schrago CG, Augusto A, Fedullo L, Soares MA, Santos AF.** 2015. Characterization and comparative analysis of a simian foamy virus complete genome isolated from Brazilian capuchin monkeys. *Virus Res* **208**:1-6.

38. **Blasse A, Calvignac-Spencer S, Merkel K, Goffe AS, Boesch C, Mundry R, Leendertz FH.** 2013. Mother-offspring transmission and age-dependent accumulation of simian foamy virus in wild chimpanzees. *J Virol* **87**:5193-5204.
39. **Calattini S, Nerrienet E, Maucière P, Georges-Courbot M-C, Saïb A, Gessain A.** 2006. Detection and molecular characterization of foamy viruses in Central African chimpanzees of the *Pan troglodytes troglodytes* and *Pan troglodytes vellerosus* subspecies. *J Med Primatol* **35**:59-66.
40. **Calattini S, Nerrienet E, Maucière P, Georges-Courbot M-C, Saïb A, Gessain A.** 2004. Natural simian foamy virus infection in wild-caught gorillas, mandrills and drills from Cameroon and Gabon. *J Gen Virol* **85**:3313-3317.
41. **Goldberg TL, Sintasath DM, Chapman CA, Cameron KM, Karesh WB, Tang S, Wolfe ND, Rwego IB, Ting N, Switzer WM.** 2009. Coinfection of Ugandan red colobus (*Procolobus [Piliocolobus] rufomitratus tephrosceles*) with novel, divergent delta-, lenti-, and spumaretroviruses. *J Virol* **83**:11318-11329.
42. **Huang F, Yu W, He Z.** 2013. Foamy virus in the tree shrew *Tupaia belangeri* is highly related to simian foamy virus in *Macaca mulatta*. *AIDS Res Hum Retroviruses* **29**:1177-1178.
43. **Jones-Engel L, Steinkraus KA, Murray SM, Engel GA, Grant R, Aggimarangsee N, Lee BPY-H, May C, Schillaci MA, Somgird C, Sutthipat T, Vojtech L, Zhao J, Linial ML.** 2007. Sensitive assays for simian foamy viruses reveal a high prevalence of infection in commensal, free-ranging Asian monkeys. *J Virol* **81**:7330-7337.
44. **Mouinga-Ondeme A, Betsem E, Caron M, Makuwa M, Salle B, Renault N, Saib A, Telfer P, Marx P, Gessain A, Kazanji M.** 2010. Two distinct variants of simian foamy

- virus in naturally infected mandrills (*Mandrillus sphinx*) and cross-species transmission to humans. *Retrovirology* **7**:105.
45. **Richard L, Rua R, Betsem E, Mouinga-Ondeme A, Kazanji M, Leroy E, Njouom R, Buseyne F, Afonso PV, Gessain A.** 2015. Cocirculation of Two env Molecular Variants, of Possible Recombinant Origin, in Gorilla and Chimpanzee Simian Foamy Virus Strains from Central Africa. *J Virol* **89**:12480-12491.
46. **Yoshikawa R, Nakagawa S, Okamoto M, Miyazawa T.** 2014. Construction of an infectious clone of simian foamy virus of Japanese macaque (SFVjm) and phylogenetic analyses of SFVjm isolates. *Gene* **548**:149-154.
47. **Kehl T, Bleiholder A, Roßmann F, Rupp S, Lei J, Lee J, Boyce W, Vickers W, Crooks K, VandeWoude S, Löchelt M.** 2013. Complete genome sequences of two novel *Puma concolor* foamy viruses from California. *Genome Announc* **1**:e0020112.
48. **Hechler T, Materniak M, Kehl T, Kuzmak J, Löchelt M.** 2012. Complete genome sequences of two novel European clade bovine foamy viruses from Germany and Poland. *J Virol* **86**:10905-10906.
49. **Rustigian R, Johnston P, Reihart H.** 1955. Infection of monkey kidney tissue cultures with virus-like agents. *Proc Soc Exp Biol Med* **88**:8-16.
50. **Fenner F.** 1976. Classification and nomenclature of viruses. Second report of the International Committee on Taxonomy of Viruses. *Intervirology* **7**:1-115.
51. **Matthews REF.** 1979. Classification and nomenclature of viruses. Third Report of the International Committee on Taxonomy of Viruses. *Intervirology* **12**:131-296.
52. **Coffin JM, Essex M, Gallo R, Graf TM, Hinuma Y, Hunter E, Jaenisch R, Nusse R, Oroszlan S, Svoboda J, Teich N, Toyoshima K, Varmus H.** 1991. Family

Retroviridae, p 193-204. In Francki RIB, Fauquet, C.M., Knudson, D.L., Brown, F. (ed),
Classification and nomenclature of viruses—Fifth Report of the International Committee
on Taxonomy of Viruses Archives of Virology Supplement, vol 2. Springer-Verlag,
Vienna, Austria.

53. **Coffin JM, Essex M, Gallo R, Graf TM, Hinuma Y, Hunter E, Jaenisch R, Nusse R, Oroszlan S, Svoboda J, Teich N, Toyoshima K, Varmus H.** 1995. Family *Retroviridae*, p 193-204. In Murphy FA, Fauquet, C.M. Bishop, D.H.L., Ghabrial, S.A., Jarvis, A.W., Matelli, G.P., Mayo, M.A., Summers, M.D. (ed), Virus Taxonomy - Sixth Report of the International Committee of Viruses, vol 10. Springer-Verlag, Vienna, Austria.

54. **Hunter E, Casey J, Hahn B, Hayami M, Korber B, Kurth R, Neil J, Rethwilm A, Sonigo P, Stoye J.** 2000. Family *Retroviridae*, p 369-387. In van Regenmortel MHV, Fauquet, C.M., Bishop, D.H.L., Carstens, E.B., Estes, M.K., Lemon, S.M., Maniloff, J., Mayo, M.A., McGeoch, D.J., Pringle, C.R., Wickner, R.B. (ed), Virus taxonomy—Seventh Report of the International Committee on Taxonomy of Viruses. Academic Press, San Diego, U.S.A.

55. **Linial ML.** 1999. Foamy viruses are unconventional retroviruses. J Virol **73**:1747-1755.

56. **Linial ML, Fan H, Hahn B, Lwer R, Neil J, Quackenbush S, Rethwilm A, Sonigo P, Stoye J, Tristem M.** 2005. Family *Retroviridae*, p 421-440. In Fauquet CM, Mayo, M.A., Maniloff, J., Desselberger, U., Ball, L.A. (ed), Virus taxonomy—Eighth Report of the International Committee on Taxonomy of Viruses. Elsevier/Academic Press, San Diego, U.S.A.

- 420 57. **Stoye JP, Blomberg J, Coffin JM, Fan H, Hahn BH, Neil J, Quackenbush S,**
421 **Rethwilm A, Tristem M.** 2012. Family *Retroviridae*, p 477-494. In King AMQ, Adams,
422 M.J., Carstens, E.B., Lefkowitz, E.J. (ed), Virus taxonomy—Ninth Report of the
423 International Committee on Taxonomy of Viruses. Elsevier/Academic Press, London,
424 U.K.
- 425 58. **Muniz CP, Jia H, Shankar A, Troncoso LL, Augusto AM, Farias E, Pissinatti A,**
426 **Fedullo LP, Santos AF, Soares MA, Switzer WM.** 2015. An expanded search for
427 simian foamy viruses (SFV) in Brazilian New World primates identifies novel SFV
428 lineages and host age-related infections. *Retrovirology* **12**:94.
- 429 59. **Materniak M, Kubiś P, Rola-Luszcza M, Khan AS, Buseyne F, Lindemann D,**
430 **Löchelt M, Kuźmak J.** 2015. Tenth International Foamy Virus Conference 2014--
431 achievements and perspectives. *Viruses* **7**:1651-1666.
- 432 60. **Buseyne F, Gessain A, Soares MA, Santos AF, Materniak-Kornas M, Lesage P,**
433 **Zamborlini A, Löchelt M, Qiao W, Lindemann D, Wöhrl BM, Stoye JP, Taylor IA,**
434 **Khan AS.** 2016. Eleventh International Foamy Virus Conference-Meeting Report.
435 *Viruses* **8**:318.
- 436 61. **Sakai K, Ami Y, Suzaki Y, Matano T.** 2016. First complete genome sequence of a
437 simian foamy virus isolate from a cynomolgus macaque. *Genome Announc* **4**.
- 438 62. **Simmonds P, Adams MJ, Benko M, Breitbart M, Brister JR, Carstens EB, Davison**
439 **AJ, Delwart E, Gorbalenya AE, Harrach B, Hull R, King AM, Koonin EV,**
440 **Krupovic M, Kuhn JH, Lefkowitz EJ, Nibert ML, Orton R, Roossinck MJ,**
441 **Sabanadzovic S, Sullivan MB, Suttle CA, Tesh RB, van der Vlugt RA, Varsani A,**

- Zerbini FM.** 2017. Consensus statement: Virus taxonomy in the age of metagenomics. Nat Rev Microbiol **15**:161-168.
63. **Leendertz FH, Zirkel F, Couacy-Hymann E, Ellerbrok H, Morozov VA, Pauli G, Hedemann C, Formenty P, Jensen SA, Boesch C, Junglen S.** 2008. Interspecies transmission of simian foamy virus in a natural predator-prey system. J Virol **82**:7741-7744.
64. **Galvin TA, Ahmed IA, Shahabuddin M, Bryan T, Khan AS.** 2013. Identification of recombination in the envelope gene of simian foamy virus serotype 2 isolated from Macaca cyclopis. J Virol **87**:8792-8797.
65. **Renshaw RW, Casey JW.** 1994. Transcriptional mapping of the 3' end of the bovine syncytial virus genome. J Virol **68**:1021-1028.
66. **Bodem J, Lochelt M, Winkler I, Flower RP, Delius H, Flugel RM.** 1996. Characterization of the spliced pol transcript of feline foamy virus: the splice acceptor site of the pol transcript is located in gag of foamy viruses. J Virol **70**:9024-9027.
67. **Winkler I, Bodem J, Haas L, Zemba M, Delius H, Flower R, Flügel RM, Löchelt M.** 1997. Characterization of the genome of feline foamy virus and its proteins shows distinct features different from those of primate spumaviruses. J Virol **71**:6727-6741.
68. **Helps CR, Harbour DA.** 1997. Comparison of the complete sequence of feline spumavirus with those of the primate spumaviruses reveals a shorter gag gene. J Gen Virol **78** (Pt 10):2549-2564.
69. **Tobaly-Tapiero J, Bittoun P, Neves M, Guillemin M-C, Lecellier C-H, Puvion-Dutilleul F, Gicquel B, Zientara S, Giron M-L, de Thé H, Saïb A.** 2000. Isolation and characterization of an equine foamy virus. J Virol **74**:4064-4073.

- 465 70. **Thumer L, Rethwilm A, Holmes EC, Bodem J.** 2007. The complete nucleotide
466 sequence of a New World simian foamy virus. *Virology* **369**:191-197.
- 467 71. **Pacheco B, Finzi A, McGee-Estrada K, Sodroski J.** 2010. Species-specific inhibition
468 of foamy viruses from South American monkeys by New World Monkey TRIM5 α
469 proteins. *J Virol* **84**:4095-4099.
- 470 72. **Wagner TC, Bodem J.** 2016. Sequence errors in foamy virus sequences in the GenBank
471 database: resequencing of the prototypic foamy virus proviral plasmids. *Arch Virol*
472 doi:10.1007/s00705-016-3206-z.
- 473 73. **Rua R, Betsem E, Calattini S, Saïb A, Gessain A.** 2012. Genetic characterization of
474 simian foamy viruses infecting humans. *J Virol* **86**:13350-13359.
- 475 74. **Schulze A, Lemey P, Schubert J, McClure MO, Rethwilm A, Bodem J.** 2011.
476 Complete nucleotide sequence and evolutionary analysis of a gorilla foamy virus. *J Gen*
477 *Virol* **92**:582-586.
- 478 75. **Verschoor EJ, Langenhuijzen S, van den Engel S, Niphuis H, Warren KS, Heeney**
479 **JL.** 2003. Structural and evolutionary analysis of an orangutan foamy virus. *J Virol*
480 **77**:8584-8587.
- 481 76. **Renne R, Friedl E, Schweizer M, Fleps U, Turek R, Neumann-Haefelin D.** 1992.
482 Genomic organization and expression of simian foamy virus type 3 (SFV-3). *Virology*
483 **186**:597-608.
- 484 77. **Nandakumar S, Bae EH, Khan AS.** 2017. Complete genome sequence of the African
485 green monkey simian foamy virus serotype 3 strain FV2014.
- 486 78. **Kupiec J-J, Kay A, Hayat M, Ravier R, Périés J, Galibert F.** 1991. Sequence analysis
487 of the simian foamy virus type 1 genome. *Gene* **101**:185-194.

488 79. **Nandakumar S, Bae EH, Khan AS.** 2017. Complete genome sequence of a naturally
489 occurring simian foamy virus isolate from rhesus macaque (SFVmmu_K3T). Genome
490 Announc **5**.

491 80. **Switzer WM, Salemi M, Shanmugam V, Gao F, Cong ME, Kuiken C, Bhullar V,**
492 **Beer BE, Vallet D, Gautier-Hion A, Tooze Z, Villinger F, Holmes EC, Heneine W.**
493 2005. Ancient co-speciation of simian foamy viruses and primates. Nature **434**:376-380.

494

495

496

497

498

499 **Table 1.** Current spumaretrovirus taxonomy according to ICTV^a

Family	Subfamily	Genus	Species	Virus name
<i>Retroviridae</i>	<i>Spumaretrovirinae</i>	<i>Spumavirus</i>	<i>African green monkey simian foamy virus</i>	African green monkey simian foamy virus (SFVagm) ^b
			<i>Bovine foamy virus</i>	bovine foamy virus (BFV)
			<i>Equine foamy virus</i>	equine foamy virus (EFV)
			<i>Feline foamy virus</i>	feline foamy virus (FFV)
			<i>Macaque simian foamy virus</i>	macaque simian foamy virus (SFVmac) ^c
			<i>Simian foamy virus</i> [*]	simian foamy virus, human isolate (SFVcpz(hu)) ^d

500

501 ^aReference [\(57\)](#); ^bSynonym: simian foamy virus 3 (SFV-3); ^cSynonym: simian foamy virus 1 (SFV-1); ^dSynonyms: chimpanzee foamy virus (CFV), human
502 foamy virus (HFV) and prototype foamy virus (PFV); ^{*}Type species.

503

504

505

506

507

508 **Table 2.** Updated spumaretrovirus taxonomy as proposed in June 2017^a.

Family	Subfamily	Genus	Species	Virus (name)
<i>Retroviridae</i>	<i>Spumaretrovirinae</i>	<i>Simiispumavirus</i>	<i>Eastern chimpanzee simian foamy virus^{b,*}</i>	simian foamy virus Pan troglodytes schweinfurthii (SFVpsc)
			<i>Western chimpanzee simian foamy virus</i>	simian foamy virus Pan troglodytes verus (SFVpve)
			<i>Central chimpanzee simian foamy virus</i>	simian foamy virus Pan troglodytes troglodytes (SFVptr)
			<i>Western lowland gorilla simian foamy virus</i>	simian foamy virus Gorilla gorilla gorilla (SFVggo)
			<i>Bornean orangutan simian foamy virus</i>	simian foamy virus Pongo pygmaeus pygmaeus (SFVppy)
			<i>Taiwanese macaque simian foamy virus^c</i>	simian foamy virus Macaca cyclopis (SFVmcy)
			<i>Rhesus macaque simian foamy virus</i>	simian foamy virus Macaca mulatta (SFVmmu)
			<i>Japanese macaque simian foamy virus</i>	simian foamy virus Macaca fuscata (SFVmfu)
			<i>Grivet simian foamy virus^d</i>	simian foamy virus Chlorocebus aethiops (SFVcae)
			<i>Guenon simian foamy virus</i>	simian foamy virus Cercopithecus nictitans (SFVcni)

			<i>Spider monkey simian foamy virus</i>	simian foamy virus <i>Ateles</i> species (SFV _{axx})
			<i>White-tufted-ear marmoset simian foamy virus</i>	simian foamy virus <i>Callithrix jacchus</i> (SFV _{cja})
			<i>Squirrel monkey simian foamy virus</i>	simian foamy virus <i>Saimiri sciureus</i> (SFV _{ssc})
			<i>Yellow-breasted capuchin simian foamy virus</i>	simian foamy virus <i>Sapajus xanthosternos</i> (SFV _{sxa})
		<i>Prosimiispumavirus</i>	<i>Brown greater galago prosimian foamy virus</i> *	simian foamy virus <i>Otolemur crassicaudatus</i> (SFV _{ocr})
		<i>Bovispumavirus</i>	<i>Bovine foamy virus</i> *	bovine foamy virus <i>Bos taurus</i> (BFV _{bta})
		<i>Felispumavirus</i>	<i>Feline foamy virus</i> *	feline foamy virus <i>Felis catus</i> (FFV _{fca})
			<i>Puma feline foamy virus</i>	feline foamy virus <i>Puma concolor</i> (FFV _{pco})
		<i>Equispumavirus</i>	<i>Equine foamy virus</i> *	equine foamy virus <i>Equus caballus</i> (EFV _{eca})

509

510 ^aBased upon available complete virus genome sequences; ^bThe former species *Simian spumavirus*; ^cThe former species *Macaque simian foamy virus*; ^dThe
511 former species *African green monkey simian foamy virus*; *Type species.

512

513

514

Table 3. Projected updates for spumaretrovirus taxonomy^a.

Family	Subfamily	Genus	Species	Virus names and designations
<i>Retroviridae</i>	<i>Spumaretrovirinae</i>	<i>Simiispumavirus</i>	<i>Cynomolgus macaque simian foamy virus</i>	simian foamy virus <i>Macaca fascicularis</i> (SFVmfa) ^b
			<i>Drill simian foamy virus</i>	simian foamy virus <i>Mandrillus leucophaeus</i> (SFVmle) ^c
			<i>Mandrill simian foamy virus</i>	simian foamy virus <i>Mandrillus sphinx</i> (SFVmsp) ^c
			<i>Yellow baboon simian foamy virus</i>	simian foamy virus <i>Papio cynocephalus</i> (SFVpcy) ^c
		<i>Chispumavirus</i>	<i>Intermediate horseshoe bat foamy virus</i> *	chiropteran foamy virus <i>Rhinolophus affinis</i> (CFVraf) ^c

^aPotential candidates for new species based upon phylogenetic distance from current ones; ^bTo be included in next update since full-genome sequence has been published; ^cTo be included in update when sequence of at least full genome open reading frames is publicly available; *Potential candidate for type species.

521 **Table 4.** Proposed spumaretrovirus isolate nomenclature.

Host	Spumaretrovirus name and designation	Isolate description: type, strain, isolate [Previous designation(s)]	New isolate designation	GenBank accession number	Reference(s) ^a
Bovine	bovine foamy virus Bos taurus (BFVbta)	BSV-11 (BSV, BFV)	BFVbta_BSV11*	U94514 ^b	(65)
		BFV-Riems	BFVbta_Riems	JX307862 ^b	(48)
		BFV100	BFVbta_100	JX307861 ^b	(48)
Feline	feline foamy virus Felis catus (FFVfca)	type FUV7 (FSV, FFV)	FFVfca_FUV7*	Y08851 ^b	(66 , 67)
		type F17/951	FFVfca_F17/951	U85043 ^b	(68)
	feline foamy virus Puma concolor (FFVpco)	X102	FFVpco_X102	KC292054 ^b	(47)
Equine	equine foamy virus Equus caballus (EFVeca)	isolate clone 1 [EFV]	EFVeca_1*	AF201902 ^b	(69)

Chiropteran	chiropteran foamy virus <i>Rhinolophus affinis</i> (CFVraf)	isolate 1[RaFV-1]	CFVraf_1	JQ814855 ^c	(35)
Prosimian	simian foamy virus <i>Otolemur crassicaudatus</i> (SFVocr)	type 5, strain 1557 [SFV type 5; SFVgal]	SFVocr_1557*	KM233624 ^b	(24)
Simian—New World monkeys	simian foamy virus Ateles species (SFVaxx)	serotype 8, strain S-140, Hooks40 [SFV type 8; SFVspm]	SFVaxx_Hooks40	EU010385 ^b	(70)
	simian foamy virus <i>Callithrix jacchus</i> (SFVcja)	isolate FXV[SFVmar]	SFVcja_FXV	GU356395 ^b	(71)
	simian foamy virus Saimiri <i>sciureus</i> (SFVssc)	serotype 4, strain 1224 (SFV type 4; SFVsqu)	SFVssc_1224	GU356394 ^b	(71)
	simian foamy virus Sapajus <i>xanthosternos</i> (SFVsxa)	isolate Z17	SFVsxa_Z17	KP143760 ^b	(37)

Simian—apes	simian foamy virus Pan troglodytes schweinfurthii (SFVpsc)	human isolate HSRV clone 13 [PFV; CFV; HSRV; SFVcpz(hu); HFV]	SFVpsc_huHSRV.13*	KX08159 ^b	(72)
	simian foamy virus Pan troglodytes troglodytes (SFVptr)	human isolate BAD327	SFVptr_huBAD327	JQ867463 ^b	(73)
		human isolate AG15	SFVptr_huAG15	JQ867462 ^b	(73)
	simian foamy virus Pan troglodytes verus (SFVpve)	[SFVcpz]	SFVpve	NC_001364 ^b	(9)
		serotype 6, strain CV-1, Pan-1 [SFV type 6; SFVcpz]	SFVpve_Pan1		
		serotype 7, strain CV-11, Pan-2 [SFV type 7; SFVcpz]	SFVpve_Pan2		
	simian foamy virus Gorilla gorilla gorilla (SFVggo)	[SFV-Gg; SFVgor]	SFVggo_Gg	HM245790 ^b	(74)
		human isolate BAK74	SFVggo_huBAK74	JQ867464 ^b	(73)
		human isolate BAD468	SFVggo_huBAD468	JQ867465 ^b	(73)

	simian foamy virus Pongo pygmaeus pygmaeus (SFVppy)	serotype 11, strain bella [SFV type 11; SFVora]	SFVppy_bella	AJ544579 ^b	(75)
Simian—Old World monkeys	simian foamy virus Chlorocebus aethiops (SFVcae)	strain LK3 [African green monkey SFV; SFVagm; SFVagm-3]	SFVcae_LK3	M74895 ^b	(76)
		Serotype 3, strain FV2014 [SFV 3; SFV type 3; SFVagm]	SFVcae_FV2014	MF582544 ^b	(77)
	simian foamy virus Cercopithecus nictitans (SFVcni)	human isolate AG16	SFVcni_huAG16	JQ867466 ^b	(73)
	simian foamy virus Macaca cyclopis (SFVmcy)	serotype 1, strain FV21 [SFV-1; macaque SFV; SFV type 1; SFVmac; SFVmcy-1]	SFVmcy_FV21	NC_010819 ^b	(78)
		serotype 2, strain FV34 [SFV type 2; SFVmac; SFVmcy-2]	SFVmcy_FV34[RF] ^c	KF026286.1 ^b	(64)

	simian foamy virus <i>Macaca fascicularis</i> (SFVmfa)	isolate Cy5061	SFVmfa_Cy5061	LC094267 ^b	(61)
	simian foamy virus <i>Macaca fuscata</i> (SFVmfu)	Isolate WK1, clone pJM356 [Japanese macaque SFV; SFVjm]	SFVmfu_WK1.pJM356	AB923518 ^b	(46)
	simian foamy virus <i>Macaca mulatta</i> (SFVmmu)	isolate K3T	SFVmmu_K3T	MF280817 ^b	(79)
	simian foamy virus <i>Mandrillus leucophaeus</i> (SVFmle)	isolate Mnd205	SFVmle_Mnd205	AY583777 ^c	(40)
	simian foamy virus <i>Mandrillus sphinx</i> (SFVmsp)	isolate Mnd301	SFVmsp_Mnd301	AY583775 ^c	(40)
	simian foamy virus <i>Papio cynocephalus</i> (SFVpcy)	serotype 10 [SFV type 10; SFVbab]	SFVpcy	AF049083 ^c	

522

523 ^areference provided for published sequences

524 ^bfull-length genome

525 ^cpartial sequence

526 *Type species

Figure 1. Foamy virus phylogeny reflects long-term virus–host co-speciation. Evolutionary relationships were inferred using maximum likelihood analysis of an alignment comprising the polymerase gene (*pol*) and envelope gene (*env*) nucleotide sequences of 21 foamy viruses from diverse mammalian hosts. Branch tips are labeled with viral species names and the host common names; brackets indicate common names for subfamily/group within the class Mammalia. Nodes are labeled with bootstrap support values (based on 1000 replicates). An alignment (including insertions and deletions) beginning approximately in the middle of the *pol* gene and extending to approximately the middle of the *env* gene was generated using the MUSCLE algorithm as implemented in Geneious 10.1.3. For reference, alignment corresponded to nucleotide position 5,089 - 7,927 of SFVpsc (NCBI accession number KX08159). Alignment of all of the sequences are submitted in the Supplement. Unrooted tree was generated using PhyML with the HKY85 substitution model and the NNI search option. Tree was visualized using FigTree 1.4.2 (note that unrooted tree is shown as rooted for ease of visualization). Topology is similar to those published by others ([2](#), [24](#), [80](#)). Input taxa and accession numbers were: SFVcni (JQ867466); SFVcae (NC_010820); SFVmfa (LC094267); SFVmcy (NC_010819); SFVmmu (MF280817); SFVmfu (AB923518); SFVpve (NC_001364); SFVpsc (KX08159); SFVptr (JQ867463); SFVggo (HM245790); SFVppy (AJ544579); SFVsx (KP143760); SFVcja (GU356395); SFVaxx (EU010385); SFVssc (GU356394); SFVocr (KM233624); FFVfca (Y08851); FFVpco (KC292054); EFVeca (AF201902); BFVbta (NC_001831); CFVraf (JQ814855).