The Human Dynamic Clamp: a probe for Coordination across Neural, Behavioral, and Social Scales

**Guillaume Dumas, Aline Lefebvre, Mengsen Zhang, Emmanuelle Tognoli,
J.A. Scott Kelso**

Abstract Humans (with their brains, bodies and behaviors) are complex dynamical systems embedded in an environment, that includes a multitude of other conspecifics. Moving beyond previous brain centered views of the human mind requires to develop a parsimonious yet integrative account that relates neural, behavioral, and social scales. Social neuroscience has recently started to acknowledge the importance of relational dynamics when it extended its purview from social stimuli to human-human interactions. Human-machine interactions also constitute promising tools to probe multiple scales in a controlled manner. Inspired by the electrophysiological method of the dynamic clamp, Virtual Partner Interaction (VPI) allows real time interaction between human subjects and their dynamical system's simulations. This provides a new test bed for operationalizing theoretical models in experimental settings. We discuss how VPI can be generalized into a Human Dynamic Clamp (HDC), a paradigm that allows the exploration of the parameter spaces of interactional dynamics in various contexts: from rhythmic and discrete coordination to adaptive and intentional behaviors, including learning. HDC brings humans and machines together to question our understanding of the natural and our theory behind the artificial.

X.1 Introduction

Social neuroscience seeks to bridge the gap between the neural, the behavioral and the social. Such an agenda contrasts with cognitive science and the shortcoming of its brain-centered and individualistic approach to the mind. Recently, several approaches have proposed to go beyond a third person representational account of others by investigating social interaction from developmental, dynamical and relational viewpoints. This departure from a strictly reductionist view calls for new manners of empirical investigation along with a theoretical account of their various scales of organization. With those advances, one aims to integrate complementary aspects of the problem of social coordination into a coherent, comprehensive and parsimonious whole. In this respect, non-linear dynamical systems theory has already proved a good formalism to relate biological, psychological and more recently social levels (Kelso et al. 2013). This paper discusses a new experimental

paradigm grounded in the framework of Coordination Dynamics (Kelso 1992; 1995; Kelso 2009). We describe the development of Virtual Partner Interaction (VPI), a system allowing to couple a human with a theoretical model of movement coordination in real time (Kelso et al. 2009; Dumas et al. 2014). We review its generalization into the “Human Dynamic Clamp” (HDC), a new paradigm for Cognitive Science to study the multiple scales of coordination that govern human brain and behavior.

This novel paradigm pursues an already ongoing grip of Cognitive Science toward multiscale coordination (Kelso 1995; Bressler and Tognoli 2006; Kelso et al. 2013). In the exemplary case of hand movements for instance, social interactions span multiple scales in time: from position, phase and frequency of movements to the turn-taking between people (e.g. Oullier et al. 2003). Such social interaction also gives rise to neural coordination within and across brains (Tognoli et al. 2007; Dumas et al. 2010; Müller et al. 2013). Multiple scales are also present in space, from the processing of information at synaptic levels to the level of large neural assemblies giving rise to different rhythms (Buzsáki and Draguhn 2004). Moreover, neurophysiology shows how these two dimensions are intertwined: neural oscillations at large time-scales (i.e. low frequencies) tend to cover larger scales in space, whereas shorter time-scales (i.e. high frequencies) appear to be more localized (Tognoli and Kelso 2014). Thus, both brain and behavior are meshed together across multiple scales of time and space.

Since the present scientific approach aims to combine experimental studies with theoretical models, the key challenge is to connect these observations across scales and levels of organization within a coherent theoretical framework (Maturana and Varela 1987). Coordination dynamics aims at such understanding through the synergetic concepts of self-organization (Haken 1983) and the mathematical tools of dynamical systems theory (Kelso 1995; Kelso & Haken, 1995; Fuchs 2013; Schöner & Kelso, 1988). It seeks both general principles and functionally-specific mechanisms of coordination (Kelso 2009) and aims at connecting multiple scales by emphasizing reciprocal coupling between levels, upward and downward (Kelso et al. 2013). In this perspective, coordination between humans represents an operational playground for experimental investigation at the crossroad of the neural, the behavioral and the social.

Recently, hyperscanning techniques have delivered access to the simultaneous recording of brain activity from interacting people and thus to the study of brain and behavior coordination at both intra- and inter-individual scales (Montague et al. 2002; Tognoli et al. 2007; Dumas et al. 2011; Konvalinka and Roepstorff 2012; Hasson et al. 2012; Babiloni and Astolfi 2012). In doing so, this technique has also reintroduced real social interaction into laboratory studies of human behavior, a key feature that was oddly lacking from earlier work within a (cognitively-inspired) social neuroscience, as it resorted to exposing one subject to social “stimuli” rather than examining interactions (Hari and Kujala 2009; Dumas 2011; Schilbach et al. 2013; Hari et al. 2015). Further, the use of reciprocal paradigms and a real second-person approach of social cognition do not necessarily require the presence of two or more subjects in the experimental task (Schilbach et al.

2013). Instead, one of the interacting partners can be substituted with a virtual agent whose design sustains bi-directional coupling between real and simulated partners (Kelso et al. 2009; Pfeiffer et al. 2011; Mattout 2012).

X.2 Human-Machine Interaction as a Research Tool

Meanwhile, in other areas of science and engineering, a plethora of studies was concentrating on subjective perception of artificial agents by humans, with the goal of designing realistic avatars for potential applications to, e.g. video games, cinema, or eLearning assistants (Scholtz 2003) to name just a few. In this line of research, the exercise was to mimic facets of human behavior rather than to model foundational neurobehavioral mechanisms. Interestingly, participants' beliefs of realism were influenced by emotionally and behaviorally contingent responses made by the artificial agent (Ochs et al. 2008; see also Zhang et al. 2016); this finding hints at the importance of reciprocal coupling with the human.

The development of realistic artificial agents extended the toolset available to social psychological research (Schilbach et al. 2006), with more to come as those agents are embedded in virtual realities that are increasingly indistinguishable from "normal" reality. The breakthrough of virtualization has reconciled ecological validity and experimental control, e.g. in the study of visual perception, spatial cognition and social interaction (Loomis et al. 1999; Dumas et al. 2014).

A first level of social interaction is the mere presence of someone else (McCall and Blascovich 2009). Regarding this issue, virtual reality fits particularly well since it creates a sense of presence through mediated environments carrying dynamic animations of virtual characters (Sanchez-Vives and Slater 2005). Virtual characters are readily perceived as social agents and are thus capable of exerting social influence on humans (Biocca et al. 2003). Those virtual characters with strong similarity to real human interactions (Garau et al. 2005) can easily and valuably be combined with neuroimaging recording (Schilbach et al. 2006).

Human-machine interaction was also used to investigate motor coordination: for instance a finger tapping study by Repp and Keller (2008) used a simple linear phase correction model to drive a virtual agent. It showed that subjects' behavior was systematically modulated by the computational parameters governing that agent. Reframed in a functional neuroimaging study by Fairhurst et al. (2013), the same paradigm uncovered some neural basis for motor synchronization and more importantly, for the socio-emotional consequences of different degrees of entrainment success.

In the following, we describe another paradigm, the Human Dynamic Clamp (HDC), that embraces a continuous, multiscale and non-linear coupling between a human and a machine. By departing from information processing approaches and design-oriented modeling, the HDC offers: a) a new way to bridge the gap between theory, experiment and models; and b) an integrative solution to linking neural, behavioral, and social dynamics. HDC puts well established equations of

human coordination dynamics into the machine and studies real-time interactions between human and virtual partners. This opens up the possibility to explore and understand a wide variety of interactions (Dumas et al. 2014; Kelso et al. 2009; Kostrubiec et al. 2015). Ultimately, HDC may prove useful to establishing a much friendlier union of man and machine, based on sound interactional design, and perhaps it will even lead to the creation of a different kind of machine altogether.

X.3 A Principled Based Virtual Partner

The study of movement coordination is at the core of coordination dynamics and for the last 30-odd years the catchy phrase “let your fingers do the walking” has opened a rich experimental window into human behavior at both intra-individual and inter-individual levels. In a first move, it is important to clarify what we are looking at (Kelso et al. 2013). What is the behavior? What are the relevant variables and control parameters? These fundamental issues are addressed by uncovering qualitative changes in collective variables from the system called order parameters (Haken 1983; Kelso 1990). Qualitative changes appear in two main flavors within the formalism of dynamical system theory: phase transitions and bifurcations. Although they are both revealed in the phenomenon of transition in collective dynamics, the first is related to the switch between potential modes of behavior accessible to the system, and the second concerns global changes of the system’s behavioral landscape. The landscape is usually described with a manifold in phase space (the frame of reference representing the relationship between variables associated with each degree of freedom). The challenge then is to uncover the most parsimonious model that can exhibit these qualitative changes, and fit its parameters according to the experimental data (see the discussion of *Phenomenological Synergetics* in Kelso et al. 1987). One key issue to keep in mind lies with the biological constraints that make it possible to link a model to actual physiological mechanisms. In this perspective, it is fundamental to recognize that all models are false by definition. However, dynamical system theory offers good candidates for a universal class of models, giving the needed parsimony for elegant theory (Wilson 1979; Golubitsky and Stewart 2003).

Born from this aim was our recently developed Human Dynamic Clamp, a paradigm that took inspiration from the electrophysiological dynamic clamp (Sharp et al. 1993; Prinz et al. 2004) to allow real-time interaction between a human subject and a computational model. Using empirically-grounded models not only validated reciprocal and fully dynamical design protocols for experimenters to use, but also provided the opportunity to explore parameter ranges and perturbations that were out of reach of traditional experimental designs with live interactions. The symmetry between the human and the machine and the fact that they carry the same laws of coordination dynamics were keys to our approach (Kelso, et al. 2009). The design of the virtual partner (VP) was grounded in the equations of motion for the coordination of the human neurobehavioral system. These laws

were obtained from accumulated studies over the last 30-odd years to describe how parts of the human body and brain self-organize, and to address the issue of self-reference, a condition leading to complexity.

The first version of the Human Dynamic Clamp called Virtual Partner Interaction (Kelso et al. 2009) embodied the Haken–Kelso–Bunz (HKB) model (Haken et al. 1985). The original form of HKB describes and predicts the coordination dynamics of two rhythmically moving fingers, with its characteristically complex phenomena such as multistability, phase transitions, hysteresis, critical slowing-down and fluctuation enhancement (Kelso et al. 1987; Schöner and Kelso, 1988 for reviews). Since then, the model has also been successfully validated experimentally for the coordination between different limbs (e.g. Kelso and Jeka 1992), between people (e.g. Oullier et al. 2008) and even between species (Lagarde et al. 2005), within unimodal and multimodal contexts (Lagarde and Kelso 2006). It has been supported by empirical evidence ranging from brain dynamics within (Kelso et al. 1992; Kelso et al. 1998) and between brain areas (Bressler and Kelso 2001; Jantzen et al. 2009; Tognoli and Kelso 2009; Tognoli and Kelso 2014), to coordination with external stimuli (Kelso, et al. 1990) and neural counterparts thereof (Jantzen et al. 2004; Oullier et al. 2004). This universal characteristic supports HKB as an ideal candidate for the Human Dynamic Clamp.

In its original implementation, the VPI system was composed of a goniometer continuously digitizing the finger position of a human participant; a computational circuit simulating the HKB model; and a screen rendering the virtual partner's behavior (see Fig 1A-B). The computational circuit calculates the position of VP continuously according to the differential equations of HKB (Fig 1B), and the resulting dynamics is mapped onto a virtual avatar displayed on the screen.

Fig 1. The VPI system. (A) presents its key components (goniometer to transduce human movement behavior and screen to display Virtual partner's behavior) from the human viewpoint. Task and coupling are outlined in (B). Human's behavior is digitized and fed into a computer whose software computes the corresponding position of the VP in real time, following a theoretical model of behavioral coordination —here HKB. The picture of the VP is updated on the screen (A) according to the output of the model. Data are stored for further study (C) to test hypotheses about the relationship between the agent's properties, coupling parameters and emergent collective behavior.

The HKB model at the collective level describes the equation of motion of the relative phase, a variable that distills the coordination of two oscillatory components. In this form, the HKB model reads:

$\dot{\phi} = a \sin \phi + b \sin 2\phi$ (eq. 1), where ϕ is the relative phase between human and VP's finger position, and a and b are constants (for more details, see Fuchs and Kelso, 2009).

However, since computers do not have direct access to the relative phase, the internal dynamics of VP is governed by the HKB model at the component level (see Fig 1B). In this form, two non-linearly coupled non-linear oscillators represent the interaction between the two fingers. The collective form in (eq. 1) can be derived from the equations at the component level (Fig 1B). At the component level, variables are no longer the relative phase but the individual finger positions

(and velocities by derivation). x and y represent VP's and human's finger positions, α , β and γ are constants associated with the intrinsic dynamics of VP, ω is VP's pulsation (frequency), A and B are constants associated with the coupling from VP to human, and finally μ is a constant fixed to either +1 or -1, indicating VP's preference for in-phase or anti-phase coordination.

In the original study (Kelso et al. 2009), VP and human behaviors were chosen to be quite simple. Both partners were tasked to coordinate finger movements with one another, the human with the intention of achieving in-phase coordination with the VP (trying to synchronize his/her flexion and extension movements with VP's). On the VP side, the parameter μ was set to -1, inducing a VP preference for anti-phase coordination and thus a goal opposite to human's. Subjects were instructed to maintain a smooth and continuous rhythmic movement with their right index finger (flexion-extension) and to avoid stopping their movement at any time. Visual coupling was experimentally manipulated: from unidirectional in two conditions (VP "perceives" human movement but human does not perceive VP's behavior; or reciprocally), to bi-directional in another (both VP and human have access to each other's finger movement). VPI accommodated the whole set of behavioral coordination modes described by the HKB model. For instance, when VP and human participants did not have the same preferred movement frequency, their relative phase conformed to predictions by the extended version of HKB (Kelso, et al., 1990) and exhibited phase wrapping (not shown) or metastability (see Fig 1C). Pitting machine against human through opposing task demands is a way to enhance the formation of emergent behavior, and also allowed us to examine each partner's individual contribution to the collective behavior. An intriguing outcome of the experiments was that subjects ascribed intentions to the machine, reporting that it was "messing" with them. A later study further suggested that VP elicits emotional experiences in human: subjects' emotional arousal was greatest when VP interactions were (falsely) deemed to be with a human rather than with a machine (Zhang et al. 2016).

In summary, Kelso et al. (2009)'s initial VPI experiment demonstrated the feasibility of the Human Dynamic Clamp in the context of the continuous coordination of rhythmic movements. It uncovered unexpected behaviors, which were theoretically tested afterward. In the following, we show how to explore a new set of behaviors with other theoretical models of human behavior.

X.4 Expanding the Behavioral Repertoire

Embedding the HKB model in a Virtual Partner demonstrated that the explicit use of non-linear relational dynamics in an experimental paradigm can lead to new observations of emergent phenomena that linear models may miss out on. The Human Dynamic Clamp paradigm is about developing this idea by integrating other principle-based models grounded on canonical behaviors observed in experimental work. More complex behaviors can then be approached through the combination

of canonical models in a modular and hierarchical manner (Huys et al. 2013; Dumas et al. 2014) see also Fig 2.

Fig 2. Examples of interactions between a human participant (red) and a VP embedding alternative models of relational dynamics (blue). A) the Excitator model (with parameters $a = 0$; $b = 0$; $A = 1$; $B = -0.2$; $\tau = 1$; $\omega = 1$; dash line indicates switch from discrete to rhythmic movement in the human participant) B) the adaptive Excitator model ($a = 0$; $b = 0$; $A = 1$; $B = -0.2$; $\tau = 1$; $\omega = 1$; $K = 1$). C) a modified HKB with an intended relative phase of $\pi/2$ ($a = 0.641$; $b = 0.00709$; $A = 0.12$; $B = 0.025$; $C = 1$; $\omega = 1$; dash line indicates release of the VPI intentional forcing, i.e. switch to normal HKB model).

X.4.a Discrete behavior: phase-space sculpture

Although it is undeniable that living organisms rely both on rhythmic and discrete behaviors, the field of motor control has traditionally studied them separately. This led to two different ways of theoretically approaching and modeling them. While rhythmic movements have been extensively studied through the prism of dynamical systems, discrete movements' modeling has focused on equilibrium points or control signals (Danion 2011). Unifying rhythmic and discrete movements is often posed to be a key theoretical challenge in behavioral science (Huys et al. 2008; Degallier and Ijspeert 2010). However, there is no specific need to invoke two separate mechanisms for discrete and rhythmic behavior (Kelso et al.

1980; Kugler et al. 1980; Huys and Jirsa 2010). For instance, Schöner (1990) extended the HKB model to the case of discrete bistable coordination by changing the intrinsic dynamics. Sternad et al. (2000) proposed another model for unimanual coordination with two mutually inhibiting subsystems, each of which handled the discrete and the continuous cases respectively.

Along similar lines, Jirsa and Kelso (2005) modeled discrete and rhythmic movement based on the phase flow topology of the so-called “Excitator” model (see also Huys et al. 2008). The Excitator defines a universal class of two-dimensional dynamical systems able to exhibit limit cycles for rhythmic movement, and fixed point dynamics for discrete movement. This model is based on topological considerations and is a parsimonious way to handle discrete and continuous behaviors simultaneously. Furthermore, in line with the approach of HKB modeling, the Excitator provides predictions regarding false-start phenomena that have been confirmed experimentally (Fink et al. 2009). Finally, it is a biologically realistic model since it follows the self-excitable property that the FitzHugh-Nagumo model drew from single neurons (FitzHugh 1961).

The structure of the model contains three characteristics related to topological constraints: boundedness of the trajectory, existence of a separatrix marking the boundary between two separate regimes in phase space, and existence of a limit cycle for rhythmic movements and of one or two stable fixed point(s) for monostable and bi-stable discrete movements respectively.

$$\text{The equations read as follows: } \begin{cases} \dot{x}_1 = \omega(x_1 + x_2 - g_1(x_1))\tau \\ \dot{x}_2 = -\omega(x_1 - a + g_2(x_1, x_2) - I)/\tau \end{cases} \text{ (eqs. 2)}$$

where x_1 and x_2 are internal variables of the oscillator, ω is the pulsation (frequency) of VP, a the term controlling the position of the separatrix, b the term controlling the angle of the separatrix, I an instantaneous external input, and τ the time constant of the system.

Note that the choice of g_1 and g_2 is not fixed but must nevertheless guarantee the boundedness of the system so that the system belongs to the class of self-excitable systems. Here we take $g_1(x_1) = \frac{1}{3}x_1^3$ and $g_2(x_1, x_2) = -bx_2$. (eq. 3)

When this is put in unidimensional form, we retain the same coupling terms as HKB model’s. The coupling causes either convergence or divergence of the trajectories in phase space depending on initial conditions. Since trajectories are bounded, constraints lead to in-phase or anti-phase modes of coordination (for more details, see Jirsa and Kelso 2005).

Implementation of the Excitator dynamics in an HDC is quite straightforward: one only needs to substitute the relevant equations (eqs. 2) in the software controlling VP’s behavior. Note that these equations introduce a new term of importance: parameter I allows to modify the phase flow according to an external input. An external input can originate from the experimenter or the human partner him/herself. It is a key component for modeling discrete behaviors, which rely on external in-

formation and is non-autonomous in a mathematical sense. The introduction of the new variable allows VP and human to coordinate diverse movements that range from simple rhythms to discrete actions. Figure 2A presents an interaction between a human and a VP governed by the Excitator model, and shows a transition from discrete movement (flexions and extensions interrupted by quiescent behavior) to continuous movement.

X.4.b Adaptive behavior: parameter dynamics and modularity

The Excitator model shows how a single dynamical system may give rise to different behavioral modes of coordination between human and virtual partner. However, each mode required a different set of parameters. Once those parameters are fixed, the differential equations set the functional structure of the system for a specific behavioral context. But structure, function and dynamics are not separated in nature; everything is constantly evolving on different timescales (Kelso 1995; Bressler and Tognoli 2006). In biology, organisms change their own behavior and learn new ones to better face the world, and interact with their peers in a more effective manner. Robert Rosen even associated adaptation as the most characteristic property of living things (Rosen 1991). The process of adaptation is ubiquitous in so-called complex adaptive systems that may also encompass physical or artificial aspects (Holland 1992). In the case of the brain, it is not surprising to observe such ongoing anticipation continuously (Kinsbourne and Jordan 2009). Adaptation is especially important in social behavior, for instance mimicry at the morphological level (Chartrand and Bargh 1999) or interactional synchrony during cooperative imitation and skill learning (Fogel 1993).

Coordination may be seen as a subtle blend of reaction and adaptation to the other (Engstrøm et al. 1996). Whereas reaction takes place at a given time t , adaptation builds up over time. For instance, humans may have a preferred movement frequency but they can adapt to different partners by slowing down or speeding up their movements. In the case of the Human Dynamic Clamp, frequency adjustment is a good candidate to address adaptive behavior in a manner that is fully compatible with the previously described systems, and uses the same formalism. Basically, frequency adaptation requires a new equation in the system of differential equations that manages the rate of change of frequency ω . At a more conceptual level, it fits with the idea that adaptation depends on the system's ongoing intrinsic dynamics. Furthermore, adaptation can enhance the realism of the interaction, by expanding beyond an instantaneous coordination with the position of a finger or the phase of a movement.

Different strategies for modeling frequency adaptation have been proposed. In a pure Artificial Intelligence (AI) tradition, a specific module detects the frequency of the human partner which then controls VP's actual frequency. This shows that it is possible to successfully design an artificial device that is able to do the job. In the Bayesian approach, adaptation is error-based and relies on reinforce-

ment learning (Peters and Schaal 2006). This approach is inspired from real physiological processes. In predictive coding, adaptation of model parameters is associated with Hebbian and synaptic plasticity in the brain (Friston 2010). Other bottom-up strategies have been developed in the fields of signal processing (Kohonen 1982) and robotics (Harvey et al. 2005). Here we continue to follow the strategy of Coordination Dynamics and Dynamical System Theory. That approach was shown to better account for frequency adaptation in fireflies (Ermentrout 1999) and in tempo adaptation to musical rhythms (Large and Jones 1999; see also Konvalinka et al. 2009). In contrast with the AI approach, it is worth noting that the equations stay totally continuous and do not relate to an artificial measurement of the human frequency. This illustrates how adaptation relies on parameter dynamics according to the scale of observation (Saltzman and Munhall 1992).

Following Righetti and colleagues (2006; 2009), we introduce frequency adaptation through the addition of a new dimension—related to ω —in the set of differential equations:
$$\begin{cases} \dot{x} = f_x(x, v, \omega) + KF(t) \\ \dot{v} = f_v(x, v, \omega) \end{cases} \text{ and } \dot{\omega} = \pm KF(t) \frac{y}{\sqrt{x^2 + v^2}} \text{ (eqs. 4)}$$

where K is the coupling strength of the adaptation, and $F(t)$ is the coupling part of the system. Figure 2B shows how a VP governed by the extended Excitator equations is able to follow changes in movement frequency. Addition of a third dimension also leads to unstable dynamics, less predictable from the human point of view. This may be associated with the emergence of chaotic regimes that are typical of 3-dimensional nonlinear dynamical systems (Strogatz 2008). Such unpredictability can be associated with a form of intention (Freeman 1999): a model of intentional behavior could be further designed. That is what we will see in the next section.

X.4.c Intentional behavior: symmetry breaking and forcing

In the case of an adaptive system, we have seen that adding a third dimension renders the dynamics less predictable. The system is nevertheless not random and appears more autonomous while still being governed by deterministic rules. This balance between autonomy and coupling creates successful agency illusion and can trigger an attribution of intention to the human observer (Barandiaran et al. 2009; Aucouturier and Ikegami 2009). Keeping in mind that the Human Dynamic Clamp aims at operationalizing models for experimental purposes, a teleonomic system is not adequate, because its intention is not directly controllable by the experimenter.

In the initial VPI experiment (Kelso et al. 2009), the control parameter μ (eq. 1) modulated intention attribution in some participants. In general, adopting a principle-based modeling requires redefining the boundary conditions of the model. Until now, we were dealing with spontaneous coordination. It has been shown experimentally, however, that intention affects the spontaneous potential landscape by

stabilizing and destabilizing specific dynamic patterns (Kelso et al. 1988) including at the brain level (De Luca et al. 2010). The former empirical findings motivated an extension of the HKB model (Schöner and Kelso 1988; see also Dumas et al. 2014) through the introduction of new term in the relative phase equation:

$$\dot{\phi} = a \sin \phi + b \sin 2\phi + c \sin \psi - \phi \quad (\text{eq. 5})$$

where ψ is the intended relative phase. By incorporating an intentional forcing term c which stabilizes or destabilizes particular patterns, the model was able to explain experimental observations related to intentional switching between in-phase and anti-phase.

We recently generalized the Schöner and Kelso coupling model (Dumas et al. 2014), so the intended relative phase angle ψ can take on any value between $-\pi$ and $+\pi$: $C_{\text{int}} = -C(\cos(\psi)(\dot{x} - \dot{y}) + \sin(\psi)\omega y)$ (eq. 6). This modification of VP dynamics makes it possible to direct a collective behavior towards any desired pattern of coordination (see Fig 2C). This offers new experimental perspectives, e.g. to study how new dynamical patterns are learned on top of a subject's spontaneous behavioral repertoire (Kostrubiec et al. 2015).

X.5 Conclusion

In this chapter, we have seen how a hybrid system called the Human Dynamic Clamp allows for real-time interaction between humans and virtual partners, based on the equations of coordination dynamics built originally from HKB and its extensions. A key aspect is that the human and its virtual partner are reciprocally coupled: the human acquires information about the partner's behavior through perception, and the virtual partner continuously detects the human's behavior through the input of sensors. Our approach is analogous to that of the original dynamic clamp used to study the dynamics of interactions between neurons, but now scaled up to the level of behaving humans. This principle-based approach offers a new paradigm for the study of social interaction. While stable and intermittent coordination behaviors emerged that had previously been observed in ordinary human social interactions, we also discovered novel behaviors or strategies that had never been observed in human social behavior. Those novel behaviors pertained to unexplored regions of the theoretical model and were possible ways of coordination for people to interact with each other. Such emergence of novel behaviors demonstrates the scientific potential of HDC as a human-machine framework. Modifying the dynamics of the virtual partner with the purpose of inducing a desired human behavior, such as learning a new skill or as a tool for therapy and rehabilitation, is one of several applications of VPI.

HDC allows to study social interaction with more experimental control than other recent social neuroscience methods (e.g. hyperscanning); it is also a test bed for theoretical models. HDC moves away from simple protocols in which systems

are ‘poked’ by virtue of ‘stimuli’ to address more complex, reciprocally connected systems where meaningful interactions occur. Thus, the Human Dynamic Clamp supports the development of a computational social neuroscience where theory, experiment and modeling work hand-in-hand across neural, behavioral and social scales (Tognoli et al. in press).

Acknowledgements:

The research described herein was supported by grants from the National Institute of Mental Health (MH080838), the Davimos Family Endowment for Excellence in Science and The FAU Foundation (Eminent Scholar in Science).

References:

- Aucouturier J-J, Ikegami T (2009) The Illusion of Agency: Two Engineering Approaches to Compromise Autonomy and Reactivity in an Artificial System. *Adapt Behav* 17:402–420. doi: 10.1177/1059712309344420
- Babiloni F, Astolfi L (2012) Social neuroscience and hyperscanning techniques: Past, present and future. *Neurosci Biobehav Rev* 44:1–18. doi: 10.1016/j.neubiorev.2012.07.006
- Barandiaran XE, Di Paolo E, Rohde M (2009) Defining agency: Individuality, normativity, asymmetry, and spatio-temporality in action. *Adapt Behav* 17:367–386.
- Biocca F, Harms C, Burgoon JK (2003) Toward a more robust theory and measure of social presence: Review and suggested criteria. *Presence* 12:456–480.
- Bressler SL, Kelso JAS (2001) Cortical coordination dynamics and cognition. *Trends Cogn Sci* 5:26–36.
- Bressler SL, Tognoli E (2006) Operational principles of neurocognitive networks. *Int J Psychophysiol* 60:139–148. doi: 10.1016/j.ijpsycho.2005.12.008
- Buzsáki G, Draguhn A (2004) Neuronal oscillations in cortical networks. *Sci N Y NY* 304:1926–1929. doi: 10.1126/science.1099745
- Chartrand TL, Bargh JA (1999) The chameleon effect: The perception–behavior link and social interaction. *J Pers Soc Psychol* 76:893.

- Danion F (2011) Do We Need Internal Models for Movement Control? *Nonlinear Dyn Hum Behav* 328:115–134. doi: 10.1007/978-3-642-16262-6_5
- Degallier S, Ijspeert A (2010) Modeling discrete and rhythmic movements through motor primitives: a review. *Biol Cybern* 103:319–338.
- De Luca C, Jantzen KJ, Comani S, et al (2010) Striatal Activity during Intentional Switching Depends on Pattern Stability. *J Neurosci* 30:3167–3174. doi: 10.1523/JNEUROSCI.2673-09.2010
- Dumas G (2011) Towards a two-body neuroscience. *Commun Integr Biol* 4:349–352. doi: 10.4161/cib.4.3.15110
- Dumas G, de Guzman GC, Tognoli E, Kelso JAS (2014) The human dynamic clamp as a paradigm for social interaction. *Proc Natl Acad Sci U S A* 111:E3726–E3734. doi: 10.1073/pnas.1407486111
- Dumas G, Lachat F, Martinerie J, et al (2011) From social behaviour to brain synchronization: review and perspectives in hyperscanning. *Irbm* 32:48–53.
- Dumas G, Nadel J, Soussignan R, et al (2010) Inter-brain synchronization during social interaction. *PLoS ONE* 5:e12166. doi: 10.1371/journal.pone.0012166
- Engstrøm DA, Kelso JAS, Holroyd T (1996) Reaction-anticipation transitions in human perception-action patterns. *Hum Mov Sci* 15:809–832.
- Ermentrout B (1999) Neural networks as spatio-temporal pattern-forming systems. *Rep Prog Phys* 61:353.
- Fairhurst MT, Janata P, Keller PE (2013) Being and Feeling in Sync with an Adaptive Virtual Partner: Brain Mechanisms Underlying Dynamic Cooperativity. *Cereb Cortex* 23:2592–2600. doi: 10.1093/cercor/bhs243
- Fink PW, Kelso JAS, Jirsa VK (2009) Perturbation-induced false starts as a test of the Jirsa-Kelso Excitator model. *J Mot Behav* 41:147–157.
- FitzHugh R (1961) Impulses and physiological states in theoretical models of nerve membrane. *Biophys J* 1:445.
- Fogel A (1993) Two principles of communication: Co-regulation and framing. *New Perspect Early Commun Dev* 9–22.
- Freeman WJ (1999) Consciousness, intentionality and causality. *J Conscious Stud* 6:143–172.

- Friston KJ (2010) The free-energy principle: a unified brain theory? 11:127–138. doi: 10.1038/nrn2787
- Fuchs A (2013) *Nonlinear Dynamics in Complex Systems*. Springer Berlin Heidelberg, Berlin, Heidelberg
- Fuchs A, Kelso JAS (2009) Movement coordination. In: *Encyclopedia of Complexity and Systems Science*. Springer, pp 5718–5736
- Garau M, Slater M, Pertaud D-P, Razzaque S (2005) The responses of people to virtual humans in an immersive virtual environment. *Presence Teleoperators Virtual Environ* 14:104–116.
- Golubitsky M, Stewart I (2003) *The symmetry perspective: from equilibrium to chaos in phase space and physical space*. Springer Science & Business Media
- Haken H (1983) *Advanced Synergetics*. Springer Berlin Heidelberg, Berlin, Heidelberg
- Haken H, Kelso JAS, Bunz H (1985) A theoretical model of phase transitions in human hand movements. *Biol Cybern* 51:347–356.
- Hari R, Henriksson L, Malinen S, Parkkonen L (2015) Centrality of Social Interaction in Human Brain Function. *Neuron* 88:181–193. doi: 10.1016/j.neuron.2015.09.022
- Hari R, Kujala MV (2009) Brain basis of human social interaction: from concepts to brain imaging. *Physiol Rev* 89:453–479. doi: 10.1152/physrev.00041.2007
- Harvey I, Di Paolo E, Wood R, et al (2005) Evolutionary robotics: A new scientific tool for studying cognition. *Artif Life* 11:79–98.
- Hasson U, Ghazanfar AA, Galantucci B, et al (2012) Brain-to-brain coupling: a mechanism for creating and sharing a social world. *Trends Cogn Sci* 16:114–121. doi: 10.1016/j.tics.2011.12.007
- Holland J (1992) *Adaptation in natural and artificial systems*. MIT Press, Cambridge, MA
- Huys R, Jirsa VK (2010) *Nonlinear Dynamics in Human Behavior*. Springer

- Huys R, Perdikis D, Jirsa VK (2013) Functional architectures and Structured Flows on Manifolds: A dynamical framework for perceptual-motor behavior. *Psychol Rev* 121:1–113. doi: 10.1037/a0037014
- Huys R, Studenka BE, Rheaume NL, et al (2008) Distinct Timing Mechanisms Produce Discrete and Continuous Movements. *PLoS Comput Biol* 4:e1000061. doi: 10.1371/journal.pcbi.1000061.g004
- Jantzen KJ, Steinberg FL, Kelso JAS (2009) Coordination dynamics of large-scale neural circuitry underlying rhythmic sensorimotor behavior. *J Cogn Neurosci* 21:2420–2433.
- Jantzen KJ, Steinberg FL, Kelso JAS (2004) Brain networks underlying human timing behavior are influenced by prior context. *Proc Natl Acad Sci U S A* 101:6815–6820. doi: 10.1073/pnas.0401300101
- Jirsa VK, Kelso JAS (2005) The excitator as a minimal model for the coordination dynamics of discrete and rhythmic movement generation. *J Mot Behav* 37:35–51.
- Kelso JAS (1990) Phase transitions: Foundations of behavior. In H. Haken & M. Stadler (Eds.) *Synergetics of cognition*. Springer Verlag, Berlin, pp.249–268.
- Kelso JAS (2009) Coordination Dynamics. In: Ph. D RAM (ed) *Encyclopedia of Complexity and Systems Science*. Springer New York, pp 1537–1565
- Kelso JAS (1995) *Dynamic Patterns: The Self-Organization of Brain and Behavior*. The MIT Press, Cambridge, MA
- Kelso JAS, Bressler SL, Buchanan S, et al (1992) A phase transition in human brain and behavior. *Phys Lett A* 169:134–144. doi: 10.1016/0375-9601(92)90583-8
- Kelso JAS, de Guzman GC, Reveley C, Tognoli E (2009) Virtual Partner Interaction (VPI): Exploring Novel Behaviors via Coordination Dynamics. *PLoS ONE* 4:e5749. doi: 10.1371/journal.pone.0005749.t002
- Kelso JAS, DelColle J, Schöner G (1990) Action Perception as a pattern formation process. In M. Jeannerod (Ed.), *Attention and Performance XIII*, Hillsdale, NJ: Erlbaum, pp. 139–169.
- Kelso JAS, Dumas G, Tognoli E (2013) Outline of a general theory of behavior and brain coordination. *Neural Netw Off J Int Neural Netw Soc* 37:120–131. doi: 10.1016/j.neunet.2012.09.003

- Kelso JAS, Fuchs A, Lancaster R, et al (1998) Dynamic cortical activity in the human brain reveals motor equivalence. *Nature* 392:814–817.
- Kelso JAS, Holt KG, Kugler PN, Turvey MT (1980) On the Concept of Coordinative Structures as Dissipative Structures: II. Empirical Lines of Convergence. *Adv Psychol* 1:49–70.
- Kelso JAS, Jeka JJ (1992) Symmetry breaking dynamics of human multilimb coordination. *J Exp Psychol Hum Percept Perform* 18:645.
- Kelso JAS, Scholz JP, Schöner G (1988) Dynamics governs switching among patterns of coordination in biological movement.
- Kelso JAS, Schöner G, Scholz JP, Haken H (1987) Phase-locked modes, phase transitions and component oscillators in biological motion. *Phys Scr* 35:1–9.
- Kinsbourne M, Jordan JS (2009) Embodied anticipation: A neurodevelopmental interpretation. *Discourse Process* 46:103–126.
- Kohonen T (1982) Self-organized formation of topologically correct feature maps. *Biol Cybern* 43:59–69.
- Konvalinka I, Roepstorff A (2012) The two-brain approach: how can mutually interacting brains teach us something about social interaction?
- Konvalinka I, Vuust P, Roepstorff A (2009) A Coupled Oscillator Model of Interactive Tapping. In: *Proceedings of the 7th Triennial Conference of European Society for the Cognitive Sciences of Music*. Jyväskylä, Finland,
- Kostrubiec V, Dumas G, Zanone P-G, Kelso JAS (2015) The Virtual Teacher (VT) Paradigm: Learning New Patterns of Interpersonal Coordination Using the Human Dynamic Clamp. *PloS One* 10:e0142029.
- Kugler PN, Kelso JAS, Turvey MT (1980) On the concept of coordinative structures as dissipative structures: I. Theoretical lines of convergence. *Tutor Mot Behav* 3:47.
- Lagarde J, Kelso JAS (2006) Binding of movement, sound and touch: multimodal coordination dynamics. *Exp Brain Res* 173:673–688.
- Lagarde J, Peham C, Licka T, Kelso JAS (2005) Coordination dynamics of the horse-rider system. *J Mot Behav* 37:418–424.

- Large EW, Jones MR (1999) The dynamics of attending: How people track time-varying events. *Psychol Rev* 106:119.
- Loomis JM, Blascovich JJ, Beall AC (1999) Immersive virtual environment technology as a basic research tool in psychology. *Behav Res Methods Instrum Comput* 31:557–564.
- Mattout J (2012) Brain-Computer Interfaces: A Neuroscience Paradigm of Social Interaction? A Matter of Perspective. *Front Hum Neurosci*. doi: 10.3389/fnhum.2012.00114
- Maturana HR, Varela FJ (1987) *The tree of knowledge: The biological roots of human understanding*. New Science Library/Shambhala Publications
- McCall C, Blascovich J (2009) How, when, and why to use digital experimental virtual environments to study social behavior. *Soc Personal Psychol Compass* 3:744–758.
- Montague PR, Berns GS, Cohen JD, et al (2002) Hyperscanning: Simultaneous fMRI during Linked Social Interactions. *NeuroImage* 16:1159–1164. doi: 10.1006/nimg.2002.1150
- Müller V, Sängler J, Lindenberger U (2013) Intra- and Inter-Brain Synchronization during Musical Improvisation on the Guitar. *PLoS ONE* 8:e73852. doi: 10.1371/journal.pone.0073852.s012
- Ochs M, Pelachaud C, Sadek D (2008) An empathic virtual dialog agent to improve human-machine interaction. In: *Proceedings of the 7th international joint conference on Autonomous agents and multiagent systems*.
- Oullier O, Jantzen KJ, Steinberg FL, Kelso JAS (2004) Neural Substrates of Real and Imagined Sensorimotor Coordination. *Cereb Cortex* 15:975–985. doi: 10.1093/cercor/bhh198
- Oullier O, de Guzman GC, Jantzen KJ, et al (2008) Social coordination dynamics: Measuring human bonding. *Soc Neurosci* 3:178–192.
- Oullier O, de Guzman GC, Jantzen KJ, Kelso JAS (2003) On context dependence of behavioral variability in inter-personal coordination. *Int J Comput Sci Sport* 2:126–128.
- Peters J, Schaal S (2006) Policy gradient methods for robotics. In: *Intelligent Robots and Systems, 2006 IEEE/RSJ International Conference on*. IEEE, pp 2219–2225

- Pfeiffer UJ, Timmermans B, Bente G, et al (2011) A Non-Verbal Turing Test: Differentiating Mind from Machine in Gaze-Based Social Interaction. *PLoS ONE* 6:e27591. doi: 10.1371/journal.pone.0027591
- Prinz AA, Abbott LF, Marder E (2004) The dynamic clamp comes of age. *Trends Neurosci* 27:218–224. doi: 10.1016/j.tins.2004.02.004
- Repp BH, Keller PE (2008) Sensorimotor synchronization with adaptively timed sequences. *Hum Mov Sci* 27:423–456.
- Righetti L, Buchli J, Ijspeert AJ (2009) Adaptive frequency oscillators and applications. *Open Cybern Syst J* 3:64–69.
- Righetti L, Buchli J, Ijspeert AJ (2006) Dynamic Hebbian learning in adaptive frequency oscillators. *Phys Nonlinear Phenom* 216:269–281. doi: 10.1016/j.physd.2006.02.009
- Rosen R (1991) *Life itself: a comprehensive inquiry into the nature, origin, and fabrication of life*. Columbia University Press
- Saltzman EL, Munhall KG (1992) Skill acquisition and development: The roles of state-, parameter-, and graph-dynamics. *J Mot Behav* 24:49–57.
- Sanchez-Vives MV, Slater M (2005) From presence to consciousness through virtual reality. *Nat Rev Neurosci* 6:332–339. doi: 10.1038/nrn1651
- Schilbach L, Timmermans B, Reddy V, et al (2013) Toward a second-person neuroscience. *Behav Brain Sci* 36:393–414. doi: 10.1017/S0140525X12000660
- Schilbach L, Wohlschlaeger AM, Kraemer NC, et al (2006) Being with virtual others: Neural correlates of social interaction. *Neuropsychologia* 44:718–730. doi: 10.1016/j.neuropsychologia.2005.07.017
- Scholtz J (2003) Theory and evaluation of human robot interactions. In: *System Sciences, 2003. Proceedings of the 36th Annual Hawaii International Conference on*. IEEE, p 10–pp
- Schöner G, Kelso JAS (1988) Dynamic pattern generation in behavioral and neural systems. *Science* 239:1513–1520. doi: 10.1126/science.3281253
- Sharp AA, O’Neil MB, Abbott LF, Marder E (1993) The dynamic clamp: artificial conductances in biological neurons. *Trends Neurosci* 16:389–394.
- Strogatz SH (2008) *Nonlinear Dynamics and Chaos*. Westview Press

- Tognoli E, Dumas G, Kelso JAS (in press) A Roadmap to Computational Social Neuroscience. In: *Advances in Cognitive Neurodynamics (V)*. Springer Netherlands.
- Tognoli E, Kelso JAS (2014) The Metastable Brain. *Neuron* 81:35–48. doi: 10.1016/j.neuron.2013.12.022
- Tognoli E, Kelso JAS (2009) Brain coordination dynamics: True and false faces of phase synchrony and metastability. *Prog Neurobiol* 87:31–40. doi: 10.1016/j.pneurobio.2008.09.014
- Tognoli E, Lagarde J, de Guzman GC, Kelso JAS (2007) The phi complex as a neuromarker of human social coordination. *Proc Natl Acad Sci* 104:8190–8195.
- Wilson KG (1979) Problems in physics with many scales of length. *Sci Am* 241:158–179.
- Zhang M, Dumas G, Kelso JAS, Tognoli E (2016) Enhanced emotional responses during social coordination with a virtual partner. *Int J Psychophysiol* 104:33–43. doi: 10.1016/j.ijpsycho.2016.04.001